Cigarette smoking, adults 18+

Health Priority K: Tobacco Use and Exposure

Objective K2a: By 2010, reduce the percent of Wisconsin adults (ages 18+) who report

current cigarette smoking from 24 percent in 2000 to 19 percent.

2010 Target: 19%

Objective K2b: By 2010, reduce the percent of young adults (ages 18-24) who report

current cigarette smoking from 40 percent in 2000 to 32 percent.

2010 Target: 32%

Indicator: Cigarette smoking, adults 18+

Percent of Wisconsin Adults Aged 18+ Who Currently Smoke Cigarettes

Year	Tota	ıl	Male	s	Females		
(N)	Percent	+/-	Percent	+/-	Percent	+/-	
2000	24%	2%	24%	2%	24%	2%	
(N)	2,715		1,218		1,497		
2001	24%	1%	25%	2%	22%	2%	
(N)	3,598		1,618		1,980		
2002	23%	1%	25%	2%	21%	2%	
(N)	4,350		1,789		2,561		
2003	22%	1%	24%	2%	20%	2%	
(N)	4,049		1,630		2,419		
2004	22%	2%	25%	2%	19%	2%	
(N)	4,490		1,790		2,700		
2005	21%	2%	22%	2%	19%	2%	
(N)	4,884		1,997		2,887		

Source: Wisconsin Behavioral Risk Factor Survey, Bureau of Health Information and Policy, Division of Public Health, Department of Health and Family Services.

- N Number in sample. See data documentation.
- +/- Confidence interval. See data documentation.

Continued on next page

Prepared for Tracking the State Health Plan, 2010—State-Level Data http://dhfs.wisconsin.gov/statehealthplan/track2010 (July 2006)
Bureau of Health Information and Policy
Division of Public Health
Wisconsin Department of Health and Family Services

Cigarette smoking, adults 18+, continued

Percent of Wisconsin Adults Aged 18+ Who Currently Smoke Cigarettes, by Age

Year	Ages 18-24		Ages 25-34		Ages 35-44		Ages 45-54		Ages 55-64		Ages 65+	
(N)	Percent	+/-	Percent	+/-								
2000	40%	7%	24%	4%	30%	4%	23%	3%	21%	4%	10%	3%
(N)	194		490		635		566		349		469	
2001	33%	5%	31%	4%	28%	3%	26%	3%	17%	4%	6%	2%
(N)	361		659		874		693		409		589	
2002	35%	5%	28%	3%	27%	3%	23%	3%	19%	3%	8%	2%
(N)	346		723		934		861		615		845	
2003	32%	5%	28%	3%	25%	3%	23%	3%	16%	3%	9%	2%
(N)	303		653		863		840		556		804	
2004	28%	6%	28%	4%	25%	4%	25%	3%	17%	3%	8%	2%
(N)	294		725		875		956		681		917	
2005	25%	7%	28%	4%	25%	3%	21%	3%	17%	3%	9%	2%
(N)	284		666		897		1,059		809		1,112	

Source: Wisconsin Behavioral Risk Factor Survey, Bureau of Health Information and Policy, Division of Public Health, Department of Health and Family Services.

Continued on next page

N Number in sample. See data documentation.

^{+/-} Confidence interval. See data documentation.

Cigarette smoking, adults 18+, continued

Percent of Wisconsin Adults Aged 18+ Who Currently Smoke Cigarettes, by Race/Ethnicity

			Africa	African American				-		
Years Tota		Total Ame		ın*	Indian*		Asian*		Hispanic	
(N)	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000-2002	24%	1%	27%	3%	46%	8%	13%	7%	27%	4%
(N)	10,663		826		135		101		476	
2001-2003	23%	1%	28%	3%	39%	8%	10%	6%	26%	4%
(N)	11,995		993		138		110		510	
2002-2004	22%	1%	29%	4%	31%	9%	13%	8%	24%	6%
(N)	12,900		1,179		141		120		265	
2003-2005	22%	1%	30%	4%	32%	10%	16%	8%	23%	7%
(N)	13,423		1,221		124		119		257	

Source: Wisconsin Behavioral Risk Factor Survey, Bureau of Health Information and Policy, Division of Public Health, Department of Health and Family Services.

- N Number in sample. See data documentation.
- +/- Confidence interval. See data documentation.
- * Non-Hispanic.

Percent of Wisconsin Adults Aged 18+ Who Currently Smoke Cigarettes, by Race/Ethnicity (continued)

Years	White	*	Multiple Races		
(N)	Percent	+/-	Percent	+/-	
2000-2002	23%	1%	**		
(N)	8,858				
2001-2003	22%	1%	47%	9%	
(N)	9,988		119		
2002-2004	22%	1%	51%	12%	
(N)	10,913		128		
2003-2005	21%	1%	50%	12%	
(N)	11,408		140		

Source: Wisconsin Behavioral Risk Factor Survey, Bureau of Health Information and Policy, Division of Public Health, Department of Health and Family Services.

- N Number in sample. See data documentation.
- +/- Confidence interval. See data documentation.
- * Non-Hispanic.
- ** Multiple races category not used in 2000.